

## REGIONAL REFERENCES

(comprise only Turkish Seas, except unpublished M.Sc. and Ph. D. thesis, project reports of public and special companies) - Updated in 2019

**NÜMANN, W. (1955):** İzmir Körfezinde “*balık kırılması*” hadisesi, Hidrobiyoloji Mec., 3A, 2, 90-93.

**ACARA, A., NALBANTOĞLU, U. (1960):** Preliminary report on the red-tide outbreak in the Gulf of İzmir, Rapp. P. -v. Reun. Commn. int. Explor. Scient. Mer. Médit., 15, 3, 33-38.

**ERGEN, Z. (1967):** The main planktonic organisms found in the bay of İzmir, E.Ü. Fen Fak. İlmî Rap. Ser., 47, 1-27.

**GELDİAY, R., ERGEN, Z. (1968):** Athecate marine dinoflagellates living in our region, Balık ve Balıkçılık, 6, 16, 1-7.

**ÜNSAL, İ. (1970):** İskenderun Körfezinden bir kaç diatome türü, Hidrobiyoloji Yay., Seri B, 6, 3-4.

**GÖKALP, N. (1972):** A study of plankton conditions of Edremit, Bodrum and İskenderun Gulfs, İ. Ü. Fen Fak. Hidrobiyoloji Ens. Yay., 3, 1-71.

**ÖBER, A. (1972):** The investigation of Genus *Ceratium* regarding qualitative and quantitative analyses in İzmir Bay, E.Ü. Fen Fak. İlmî Rap. Ser., 129, 1-121.

**GELDİAY, R., UYSAL, H. (1978):** A report on the primary productivity in the bay of İzmir. E.Ü.F.F. Journal, Ser. B, 1(2): 1-24.

**KORAY, T., GÖKPINAR, S. (1983):** The qualitative and quantitative features of the Genus *Ceratium* Schrank found in İzmir. (in turkish). E.U.F.F. Journal, Ser. B, Suppl., 201-219.

**GÖKPINAR, S., KORAY, T. (1983):** Observations on *Rhizosolenia* (Ehrenberg) Brightwell species living in İzmir Bay. (in turkish). E.U.F.F. Journal, Ser. B, Suppl., 201-219.

**KORAY, T. ÖZEL, İ. (1983):** Species of the Sub-Order Tintinnoinea in İzmir Bay. (in turkish). E.Ü.F.F. Journal, Ser. B, Suppl. 220-244.

**KORAY, T., ÖZEL, İ. (1983):** Species of the Sub-order Tintinnoinea in İzmir Bay and their salinity and temperature dependent distribution. Rapp. Comm. int. Mer. Médit., 28(9):123-124.

**BÜYÜKİŞİK, B., KORAY, T. (1984):** The causes and consequences of oxygen utilization caused by extremely high biological activity in İzmir Bay. V. Türk-Alman Çevre Müh. Sempozyumu, İzmir, 11-16 Haziran 1984, Bildiriler, E13-E15.

**KORAY, T. (1984):** The occurrence of red-tides and causative organisms in İzmir Bay. E.Ü.F.F. Journal, Ser. B, 1(6):75-83.

- KOCATAŞ, A., ERGEN, Z., MATER, S., ÖZEL, İ., KATAĞAN, T., KORAY, T., BÜYÜKİŞİK, B., (1984):** Les effets de la pollution sur les écosystèmes benthiques et pélagiques dans le Golfe d'Izmir. Rapp. Comm. int. Mer. Médit., 689-698.
- KOCATAŞ, A., ERGEN, E., KATAĞAN, T., KORAY, T., BÜYÜKİŞİK, B., MATER, S., ÖZEL, İ., UÇAL, O., ÖNEN, M. (1986):** Etude comparative particularités physico-chimiques et biologiques dans deux baies, Polluée et non-polluée du Golfe d'Izmir. Rapp. Comm. int. Mer. Médit., 30, 2.
- KORAY, T., BÜYÜKİŞİK, B. (1986):** Linear approximations on determinations of physico-chemical conditions negatively affecting the community structure of planktonic organisms by cause of pollution in Izmir Bay. Çevre '86 Sempozyumu, İzmir, 2-5 Haziran 1986, Bildiriler, 1-10.
- BENLİ, H. A. (1987):** Investigation of plankton distribution in the southern Black Sea and its effects on particle flux. Mitt. Geol.-Palaont. Inst. Univ. of Hamburg, 62:77-88.
- KORAY, T. (1987):** Comparison of diversity indices for determination of variations in phytoplankton communities. (in turkish). Doga, TU Muh. ve Cev. D., 11(2):242-253.
- KORAY, T. (1987):** One-celled microplankton species in Izmir Bay (Aegean Sea): A species list and a comparison with the records of adjacent regions. Doga, TU J. Biol., 11(3):130-146.
- KORAY, T. (1987):** The importance of diversity indices in terms of phytoplankton community changes depending on pollution. (in turkish). VIII. Ulusal Biyoloji Kongresi, İzmir, 3-5 Eylül 1986, Bildiriler, Cilt 2, 520-527.
- KORAY, T., BÜYÜKİŞİK, B. (1987):** The relations between planktonic species diversity and physico-chemical parameters in a polluted area (Izmir inner bay). (in turkish). Çevre '87 Sempozyumu, İzmir, 26-28 Ekim 1987, Bildiriler, 1-10.
- KOCATAŞ, A., ERGEN, Z., MATER, S., ÖZEL, İ., KATAĞAN, T., KORAY, T., ÖNEN, M., KAYA, M. (1987):** Marine Fauna. In: Biological diversity in Turkey, Onder Matbaası, Ankara, Turkey, 141-161.
- KORAY, T. (1988):** A multiple regression model to determine abundance of diatoms in a polluted area (Izmir Bay, Aegean Sea). Rapp. Comm. int. Mer Médit., 31, 2.
- KORAY, T., BÜYÜKİŞİK, B. (1988):** Toxic dinoflagellate blooms in the harbour region of Izmir Bay (Aegean Sea). Rev. Int. Oceanogr. M,d., 141-142:25-43.
- KİDEYS, A.E., GÜCÜ, A.C., BİNGEL, F., ÜNSAL, M. (1988):** Annual variations in the phytoplankton populations of the northern cilician basin, Rapp. Comm. int. Mer Médit., 31,2.
- KORAY, T. (1988):** Symbiotic associations in microplankton of Izmir Bay (Aegean Sea) and their pollution dependent distributions. (in turkish). Doga, TU Biyol., 12(1):46-52.
- KORAY, T. (1988):** A Catastrophy: Red-tide. (in turkish). Bilim ve Teknik, 21(253): 9-14.

- KORAY, T., BÜYÜKİŞİK, B. (1988):** Toxic dinoflagellate blooms in the harbour region of İzmir Bay (Aegean Sea) . Rev.Int.Oceanogr.Med., 141-142: 25-43, 1988.
- UYSAL, Z., ÜNSAL, M., BİNGEL, F. (1988):** Fate and distribution of phytoplankton in the sea of Marmara, Rapp. Comm. int. Mer Medit., 31, 2, 221.
- KIDEYŞ, A.E., ÜNSAL, M., BİNGEL, F. (1989):** Seasonal changes in net phytoplankton of Erdemli, north-eastern Mediterranean. Doğa Tr. J. Botany, 13(1): 45-54.
- TUNCER, S., FEVZİOĞLU, A. M. (1989):** Distribution of phytoplankton population of the Eastern Black Sea. Sec. Int. Coll. Med. Coast and Env. Protection. 73-74.
- KORAY, T. (1990):** The effects of the pollution on the planktonic community. Dokuz Eylül Üniversitesi, Deniz Bilimleri ve Teknolojisi Enstitüsü, "İzmir Körfezinin Dünü, Bugünü, Yarını Sempozyumu", 22-23 Kasım 1990, İzmir.
- KORAY, T., BÜYÜKİŞİK, B., GÖKPINAR, Ş. (1990):** Factors controlling secondary productivity (level 1 and 2) of polluted temperate coastal waters (İzmir Bay, Aegean Sea): a multivariate model. Rapp. Comm. int. Mer Medit., 32, 1, 129.
- KORAY, T. (1990):** Factors effecting diatom abundance in a polluted area (İzmir Bay, Aegean Sea): A multiple regression model. International Journal of Thalassographica, Suppl. 1, 27-32
- KORAY, T. (1990):** Planktonik protista associated with "color-tides" in İzmir Bay (Aegean Sea). Rapp. Comm. int. Mer Medit., 32, 1, 212.
- KORAY, T. (1990):** Factors effecting diatom abundance in a polluted area (İzmir Bay, Aegean Sea): A multiple regression model. International Journal of Thalassographica, Suppl. 1, 27-32.
- KARAÇAM, H., DÜZGÜNEŞ, E. (1990):** Trabzon sahil şeridi fitoplanktonu üzerine bir araştırma. İ.Ü. Su Ürünleri Dergisi, 4(1):95-102.
- TUNÇER, S., FEYZİOĞLU, M. (1990):** Investigation of plankton populations in the harbours of Trabzon and Şana. (in turkish). X. Ulusal Biyoloji Kongresi 18-20 Temmuz 1990, Erzurum. 1-9.
- KORAY, T. (1992):** Noxious blooms in the Bay of İzmir, Aegean Sea, UNESCO, IOC Newsletter on Toxic Algae and Algal Blooms, Suppl. to ims Newsletter, No.63, 2, 1-2.
- KORAY, T., BÜYÜKİŞİK, B., BENLİ, H. A., GÖKPINAR, Ş. (1992):** Phytoplankton blooming and zooplankton swarms in eutrophied zones of Aegean Sea (İzmir Bay). Rapp. Comm. int. Mer Medit., 33, 257a.
- KORAY, T., BÜYÜKİŞİK, B. (1992):** Temperature, light and nutrient based model on spring primary production for heavily eutrophied subtropical coastal waters (İzmir Bay, Aegean Sea). Rapp. Comm. int. Mer Medit., 33, 257b.
- KORAY, T., BÜYÜKİŞİK, B., PARLAK, H., GÖKPINAR, Ş. (1992):** Unicellular organisms effecting sea water quality in the bay of İzmir: red-tides and other bloomings. (in turkish). Doga Dergisi. 16: 135-157.

**KORAY, T. (1992):** The toxic red-tides events in İzmir Bay and their importance in term of the public health. (in turkish). Çevre Bull. 3: 13-15.

**KOCATAŞ, A., KORAY, T., KAYA, M., KARA, Ö. F. (1992):** Review of the Fishery Resources and Their Environment in the Sea of Marmara. FAO Reviews, Italy.

**BÜYÜKİŞİK, B., KORAY, T., PARLAK, H.(1994):** The primary productivity of İzmir Bay in the red-tide season. (in turkish). E. U. Fen Fak. Dergisi, Seri B, Ek 16/1, 1161-1167.

**PARLAK, H., BÜYÜKİŞİK, B., KORAY, T.(1994):** Plankton blooms occurred in İzmir Bay and their relations with the concentrations of Cu, Fe and Zn in sea water. (in turkish). E. U. Fen Fak. Dergisi, Seri B, Ek 16/1, 197-206.

**KORAY, T. (1994):** The nuisance bloom algae in aquatic ecosystems and monitoring strategies. (in turkish). E. U. Fen Fak. Dergisi, Seri B, Ek 16/1, 329-242.

**KORAY, T., BENLİ, H. A., SEVER, T. M. (1994):** A study on the phytoplankton and protozooplankton species composition of the bay of Gökova (Aegean Sea). (in turkish). Su Ürünleri Dergisi, 42-43-44(11): 9-16.

**KORAY, T., KESİCİ, U. Y. (1994):** Phytoplankton and protozooplankton species composition of the bay of Bodrum (Aegean Sea). (in turkish).E. U. Fen Fak. Dergisi, Seri B, Ek 16/1, 971-980.

**FEVZİOĞLU, A. M., TUNCER, S. (1994):** Seasonal changes at the net phytoplankton living Trabzon coast of the eastern Black Sea. (in turkish). Tr. J. of Biol., 18:161-171.

**YILMAZ, A., EDİGER, D., BAŞTÜRK, O, TUĞRUL, S. (1994):** Phytoplankton fluorescence and deep chlorophyll maxima in the northeastern Mediterranean. Ocea. Acta, 17(1):69-77.

**KORAY, T.(1995):** Phytoplankton species succession, diversity and nutrients in neritic waters of the Aegean Sea (Bay of İzmir). Tr. J. of Botany. 19:531-544.

**UYSAL, Z., SUR, H. İ. (1995):** Net plankton discriminating patches along the southern Black Sea coast in Winter 1990. Oceanologica Acta, 18, 6 639-647.

**SOROKIN, Y. U., TARKAN, A. N., ÖZTÜRK, B., ALBAY, M. (1995):** Primary production, bacterioplankton and planktonic protozoa in the Marmara Sea. Turkish Journal of Marine Sciences, 1(1): 37-56.

**BÜYÜKİŞİK, B. (1995):** Growth kinetics and limiting factors on *Thalassiosira gravida* Cleve (Bacillariophyceae) in the bay of İzmir (Aegean Sea). Su Ürünleri Dergisi 12(1-2): 53-60.

**FEVZİOĞLU, M., DÜZGÜNEŞ, E. (1996):** Seasonal dynamics of Ceratium (Dinophyceae) species in eastern Black Sea. XIII. Ulusal Biyoloji Kongresi Tebliğleri. 416-424.

**KORAY, T., BÜYÜKİŞİK, B., PARLAK, H., GÖKPINAR,Ş. (1996):** Eutrophication processes and algal blooms (red-tides) in İzmir Bay. UNEP. MAP Technical Reports Series No. 104. 1-26.

**OĞUZ, T., DUCKLOW, H., MALONETTE-RIZZOLI, P., TUĞRUL, S., NEZLİN, N. P., ÜNLÜATA, Ü. (1996):** Simulation of annual plankton productivity cycle in the Black Sea by a one dimensional physical biological model. J. Geophy. Res., 101(C7): 16585-16599.

**UYSAL, Z., ÜNSAL, M. (1996):** Spatial distribution of net diatoms along adjacent water masses of different origin. *Tr. J. of Botany*, 20:519-525.

**BİZSEL, N., ÖZTÜRK, M., METİN, G. (1997):** The role of iron on the phytoplankton growth in heavily polluted İzmir Bay. in: *The Proceedings of Fourth International Conference on Water Pollution* (Eds.: R. RAJAR, C. A. BREBBIA). 659-669.

**KORAY, T., KOCATAŞ, A. (1997):** The determination of the polluted zones with multi-dimensional scaling (MDS) analysis through using of the planktonic species abundances. (in Turkish). *Türkiye Kıyıları 97, I. Ulusal Konferansı, 24-27 Haziran 1997, Ankara. Bildiriler Kitabı*, 475-484.

**ÖLÇÜM, R., GÖKPINAR, Ş. (1997):** Local and seasonal variations of cell volumes of some diatom species in the bay of İzmir. (in Turkish). *Su Ürünleri Dergisi*, 14(1-2): 37-46

**BÜYÜKİŞİK, B., GÖKPINAR, Ş., PARLAK, H.(1997):** Ecological modelling of İzmir Bay. *Su Ürünleri Dergisi*, 14(1-2): 71-91

**FEVZİOĞLU, M., BORAN, M. (1997):** A study on *Pyramimonas orientalis* (Butcher, 1959) (Chlorophyta: Chlorodendrales) bloom at vicinity of Çamburnu. (in Turkish). *Tr. J. of Biology*, 21:49-54.

**SİVRİ, N., FEVZİOĞLU, M., ERUZ, C. (1998):** Seasonal and relationship between suspended matter and chlorophyll-a around discharge area of Solakli River, South-Eastern Black Sea. in: *The Proceedings of the First International Symposium on Fisheries and Ecology*. 549-553.

**UYSAL, Z., KIDEYŞ, A. E., SENICKINA, L., GEORGIEVA, L., ALTUKHOV, D., KUZMENKO, L., MANJOS, L., MUTLU, E., EKER, E. (1998):** Phytoplankton patches formed along the southern Black Sea coast in spring and summer 1996. L. I. IVANOV and T. OGUZ (eds.), *Ecosystem Modelling as a Management Tool for the Black Sea*. Vol. 1:151-162. Kluwer Academic Publishers. Printed in Netherlands.

**YILDIRIM, İ., GÖKPINAR, Ş. (1998):** Diatom analysis used for events of death in drowning. (in Turkish). *Su Ürünleri Dergisi*, 15(3-4):339-342.

**ALPASLAN, M., KORAY, T., ÇOLAK, F. (1999):** Physico-chemical conditions and phytoplankton succession in the Çardak lagoon (The Dardanelles, Sea of Marmara). (in Turkish). *Su Ürünleri Dergisi*, 16(1-2):75-83.

**TÜRKOĞLU, M. (1999):** Some fluctuations in phytoplankton community structures of the Black Sea. *Su Ürünleri Dergisi*, 16(1-2):201-217.

**METİN, G., CİRİK, S. (1999):** Quantitative changes in phytoplankton of İzmir Bay. (in Turkish). *Su Ürünleri Dergisi*, 16(3-4):363-374.

**KORAY, T., GÖKPINAR, S., YURGA, L. (1999):** The effects of the pollution on the distribution of microplankton in the bay of İzmir (Aegean Sea). (in Turkish). *Su Ürünleri Dergisi*, 16(3-4):421-431.

**EKER, E., GEORGIEVA, L., SENICHKINA, L., KIDEYS, A. E. (1999):** Phytoplankton distribution in the western and eastern Black Sea in spring and autumn 1995. ICES Journal of Marine Science, 56 Supplement: 15-22.

**TÜRKOĞLU, M., KORAY, T. (2000):** Ecological and geographical distributions of the planktonic protista in the southern parts of the Black Sea (neritic waters of Sinop peninsula, Türkiye). Su Ürünleri Dergisi, 17(1-2):161-178.

**POLAT, S., SARIHAN, E., KORAY, T. (2000):** Seasonal changes in the phytoplankton of the northeastern Mediterranean (Bay of İskenderun). Turk J. Bot., 24(1):1-12.

**EKER, E., KIDEYŞ, A. E. (2000):** Weekly variations in phytoplankton structure of a harbour in Mersin Bay (northeastern Mediterranean). Turk J. Bot., 24(1):13-24.

**BALKIS, N. (2000):** Five dinoflagellate species new to Turkish seas. Oebalia 26, 97-108.

**SAYDAM, A. C., SENYUVA, H. Z., POLAT, I. (2000):** The relationship between algal bloomings and Sahara dust. (in Turkish). 1. Ulusal Deniz Bilimleri Konferansı, Bildiriler ve Poster Özetleri, Z. UYSAL. ve I. SALİHOĞLU (eds.), 21-25.

**POLAT-BEKEN, S. C., OKUŞ, E., ALTIÖK, H., YUKSEK, A., KIRATLI, N. (2000):** Investigation of Marmara Sea Black Sea Interaction with time-series data (1997-1998). (in Turkish). 1. Ulusal Deniz Bilimleri Konferansı, Bildiriler ve Poster Özetleri, Z. UYSAL. ve I. SALİHOĞLU (eds.), 42-46.

**UYSAL, Z. (2000):** Chroococcoid cyanobacteria *Synechococcus* spp. in the Black Sea: pigments, size, distribution, growth and diurnal variability. (in Turkish). 1. Ulusal Deniz Bilimleri Konferansı, Bildiriler ve Poster Özetleri, Z. UYSAL. ve I. SALİHOĞLU (eds.), 80-85.

**YILMAZ, A., YAYLA, M. K., ÇOBAN-YILDIZ, Y. (2000):** Planktonic primary productivity in Black Sea: light adaptation and growth mechanisms in the production. (in Turkish). 1. Ulusal Deniz Bilimleri Konferansı, Bildiriler ve Poster Özetleri, Z. UYSAL. ve I. SALİHOĞLU (eds.), 115-120.

**FEYZIOĞLU, M. A., BORAN, M., SIVRI, N. (2000):** The effects of environmental factors on the winter bloom of *Scropsiella trochoidea* (Dinophyceae) in the bay of Sürmene. (in Turkish). 1. Ulusal Deniz Bilimleri Konferansı, Bildiriler ve Poster Özetleri, Z. UYSAL. ve I. SALİHOĞLU (eds.), 121-125.

**EKER, E., GEORGIEVA, L., SENICHKINA, L., KIDEYS, A. E. (2000):** Micro- and nano-phytoplankton distribution in the western and eastern Black Sea in spring and autumn 1995. (in Turkish). 1. Ulusal Deniz Bilimleri Konferansı, Bildiriler ve Poster Özetleri, Z. UYSAL. ve I. SALİHOĞLU (eds.), 132-137.

**KORAY, T. (2001):** A Check-list for Phytoplankton of Turkish Seas. E.Ü. Su Ürünleri Dergisi 2001. E.U. Journal of Fisheries & Aquatic Sciences 2001. Cilt/Volume 18, Sayı/Issue (1-2): 1-23. Ege University Press. ISSN 1300 - 1590



**CİHANGİR, B., ÖNEN, M., KOCATAŞ, A., ERGEN, Z., MATER, S., KORAY, T., KATAĞAN, T., ÖZEL, İ., DEMİRKURT, E., TIRAŞIN, E. M., ÜNLÜOĞLU, A., ÇINAR, M. E., ÇOLAK, F., ÇOKER, T., ÖZTÜRK, B., DOĞAN, A. (2001):** Some biological properties of İzmir Bay. Workshop on the role of the physical, chemical and biological processes in marine ecosystems, ECOSYSTEM '99, Piri Reis Science Series, No.2, O. USLU, M. ÖZERLER and E. SAYIN (eds), 19-48.

**KORAY, T. (2004):** Potentially Toxic and Harmful Phytoplankton Species Along the Coast of the Turkish Seas. Steidinger, K. A., J. H. Landsberg, C. R. Tomas, and G. A. Vargo (Eds.). Harmful Algae 2002. Biogeography and regional events sessions. Florida Fish and Wildlife Conservation Commission, Florida Institute of Oceanography, and Intergovernmental Oceanographic Commission of UNESCO. 335-337.

**YURGA, L., T. KORAY, A.B. KAYMAKÇI, Ö. EGEMEN (2005):** The variations in microplanktonic species diversity and TRIX indexes in a sea cage fish farming locality. E.Ü. Su Ürünleri Dergisi 2005. E.U. Journal of Fisheries & Aquatic Sciences 2005. Cilt/Volume 22, Sayı/Issue (1-2): 177–186.

**SUNLU F. S., BÜYÜKİŞİK B., KORAY, T., SUNLU U., (2006):** Growth kinetics of *Cylindrotheca closterium* (Ehrenberg) Reimann and Lewin isolated from Aegean Sea Coastal water (İzmir Bay/Türkiye). Pakistan Journal of Biological Sciences 9(1): 15-21.

**YURGA, L., T. KORAY (2006).** Bilateral Simetrikli Mikroplankton Türlerinin Bilgisayarla Biyovolumlerinin Hesaplanması (Cad Uygulamaları), E.Ü. Su Ürünleri Dergisi Cilt 23, Sayı (1-2): 145–151

**SEYFETTİN TAŞ, ERDOĞAN OKUŞ, TUFAN KORAY, (2006):** New Record of a Dinoflagellate Species *Corythodinium tessellatum* (Stein) Loeblich Jr. & Loeblich III from Turkish Coastal Waters of the North-eastern Mediterranean Sea. Turk. J. Bot., 30, 55-57.

**POLAT, S. , KORAY, T., (2007):** Planktonic dinoflagellates of the northern Levantine Basin, northeastern Mediterranean Sea. European Journal of Protistology 43:193-204.

**SUNLU F. S., DEMİR İ., ENGİN G. O., BÜYÜKİŞİK B., SUNLU U., KORAY, T., SEVER, T. M., KÜKRER, S., AYDIN, A., ORÇUN, E. (2007):** Prediction of nanoplankton change In İzmir Bay (Aegean Sea-Turkey) with time by neural networks. CIESM Congress, 9-13 April 2007.

**ÇOLAK SABANCI, F., KORAY, T., (2007):** Influence of the sewage treatment plant on Diatom (Bacillariophyceae) species composition in İzmir Bay. Su Ürünleri Dergisi, 24 (1-2): 11-18.

**ÖZKAN, E. Y., BÜYÜKİŞİK, B., KORAY, T., SABANCI F., (2008):** The Influence of Changes in Nutrient Ratios on Several Biological Processes in Inner Bay of İzmir. Turkish Journal of Fisheries and Aquatic Sciences, 8:103-114.

**SUNLU F. S., DEMİR İ., ENGİN G. O., BÜYÜKİŞİK B., SUNLU U., KORAY, T., KÜKRER S., (2009):** Nanoplankton population Dynamics and dissolved oxygen change across the bay of İzmir by neural Networks. Journal of Environmental Monitoring. DOI: 10.1039/b815185g/paper.

**ÇOLAK SABANCI, F., KORAY, T., (2010):** Four New Records for the Benthic Diatoms (Genera *Cocconeis*, *Seminavis*, *Synedra* and *Trachysphenia*) from Aegean Sea. Turkish Journal of Botany. (doi:10.3906/bot-0912-2).

**BAYTUT Ö., GÖNÜLOĞLU A., KORAY, T., (2010):** Temporal variations of phytoplankton in relation to eutrophication in Samsun Bay, Southern Black Sea. Turkish Journal of Fisheries and Aquatic Sciences (10):363-372

**SABANCI , F. Ç., KORAY, T., (2011):** Annual Variation in The Diversity, Species Richness And Composition Of The Phytoplankton Assemblages in The İzmir Bay (Eastern Aegean), Turkish Journal of Fisheries and Aquatic Sciences, 11: 303-313.

**SABANCI,F. Ç., KORAY, T., BÜYÜKİŞİK, B., (2011):** A qualitative study of the microphytobenthic communities of homa lagoon (İzmir-Turkey). Fresenius Environmental Bulletin. 2(20):346-353.

**SABANCI, F. Ç., KORAY, T. (2011):** İzmir Körfezi'nde 2008-2010 Yılları Arasında Diatom Tür Kompozisyonu ve Tür Çeşitliliğinin Mevsimsel Değişimi. Su Ürünleri Dergisi 28(2): 53-58.

**SABANCI , F. Ç., KORAY, T., (2012):** The dinoflagellat species distributed in İzmir Bay (Aegean Sea) and the seasonal changes of species diversity. International Review of Hydrobiology, 5(2):71.

**YURGA, L. (2012):** Non-native two new Tintinnida (Oligotrichida) taxa in İzmir Bay: *Leptotintinnus nordqvisti* (Brandt 1906) ve *Tintinnopsis corniger* (Hada, 1964). Su Ürünleri Dergisi (2012). Ege J Fish Aqua Sci 29(2): 67-70 (2012). DOI: 10.12714/egejfas.2012.29.2.03

**AYDIN,G.Ş., B. BÜYÜKİŞİK, A. KOCATAŞ (2014):** Effect of Phosphate and Silicate on The Growth of Harmful Marine Diatom: *Thalassiosira allenii* Takano (Bacillariophyceae) Tekirdağ Ziraat Fakültesi Dergisi). Journal of Tekirdag Agricultural Faculty. ISSN!:1302-7050

**BALKIS, N., KORAY, T., (2014):** A Check-List of Tintinnids (Protozoa: Ciliophora) in the Coastal Zone of Turkey. Pakistan Journal of Zoology, 46(4): 1029-1038.

**SABANCI, F., T. KORAY (2015):** Species Composition of Tintinnids in the Neritic Water of İzmir Bay (Aegean Sea, Turkey) and Seasonal Variations. Journal Of Aquaculture Engineering And Fisheries Research. -ISSN 2149-0236. 2(1): 20-29 (2016) doi: 10.3153/JAEFR16003

**YURGA, L. (2015):** Distribution of phytoplankton species in İzmir Bay for 15 years and its comparative statistical analysis. Ege J. Fish Aqua. Sci 32(1): 1-8 (2015). DOI: 10.12714/egejfas.2015.32.1.01

**YURGA, L. (2018):** Microzooplankton Tintinnida (Protozoa: Ciliophora) communities from the İzmir Bay, Turkey and their diversity and distribution for last 20 years. Ege Journal of Fisheries and Aquatic Sciences, 35(3): 267-277 (2018). DOI: 10.12714/egejfas.2018.35.3.06